Analytical Biochemistry

An International Journal

EDITOR: *Alvin Nason*

ADVISORY BOARD:

Gary Ackers
Norman G. Anderson
Eraldo Antonini
Gilbert Ashwell
H. A. Barker
Samuel P. Bessman
Simon Black
Robert L. Bowman
Ludwig Brand
A. E. Braunstein
Robert H. Burris
Melvin Calvin
Andreas Chrambach
Frank Eisenberg, Jr.
Jacques R. Fresco
Victor Ginsburg
I. C. Gunsalus
Harlyn O. Halvorson
Osamu Hayaishi
Edward C. Heath
Leslie Hellerman
C. H. W. Hirs
Evan C. Horning
Rollin D. Hotchkiss
Walter L. Hughes
William B. Jakoby
Nathan O. Kaplan
Ephraim Katchalski
Irving Klotz
Luis F. Leloir
Oliver H. Lowry
Feodor Lynen
Brian J. McCarthy
Donald McCormick
William D. McElroy
Vincent Massey
Alan H. Mehler
Bruce Merrifield
Marshall Nirenberg
Kazuo Okunuki
Sarah Ratner
Alexander Rich
David Rodbard
Gerhard Schmidt
Michael Sela
Esmond E. Snell
Sol Spiegelman
Paul K. Stumpf
Charles A. Thomas, Jr.
Sidney Udenfriend
Bert L. Vallee
Samuel B. Weiss
Theodor Wieland
George Wolf
W. A. Wood
Lemuel D. Wright
David A. Yphantis

VOLUME 77
1977

ACADEMIC PRESS
New York and London
A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1977 by Academic Press, Inc.

All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

CONTENTS OF VOLUME 77

Number 1, January 1977

Karlheinz Santarius and Clarence Ryan. Radial Diffusion as a Sensitive Method for Screening Endopeptidase Activity in Plant Extracts 1

Tsung-I Lin and Manuel F. Morales. Application of a One-Step Procedure for Measuring Inorganic Phosphate in the Presence of Proteins: The Actomyosin ATPase System 10

Sadayoshi Higa, Tomokazu Suzuki, Akira Hayashi, Isao Tsuge, and Yuichi Yamamura. Isolation of Catecholamines in Biological Fluids by Boric Acid Gel 18

Richard M. Schultz and Paul M. Wassarman. [^{3}H]Dansyl Chloride: A Useful Reagent for the Quantitation and Molecular Weight Determination of Nanogram Amounts of Protein 25

K. R. Lynn. The Fractionation of Bromelain 33

N. Y. Nguyen, D. Rodbard, P. J. Svendsen, and A. Chrambach. Cascade Stacking and Cascade Electrofocusing: Their Interconversion and Fundamental Unity ... 39

J. F. Burd, R. J. Carrico, M. C. Fetter, R. T. Buckler, R. D. Johnson, R. C. Boguslaski, and J. E. Christner. Specific Protein-Binding Reactions Monitored by Enzymatic Hydrolysis of Ligand–Fluorescent Dye Conjugates 56

Silvestro Duprè, Sandro P. Solinas, Pietro Guerrieri, Giorgio Federici, and Doriano Cavallini. NADH-Coupled Spectrophotometric Assay of Diamine Oxidase 68

Owen A. Moe, Jr., and Sally Ann Wiest. Determination of Stability Constants for Zinc–Pyrophosphate Complexes 73

B. Bablouzian and Gerald D. Fasman. A New Differential Spectrofluorometer .. 79

Chi-Yu Lee and Carl-Johan Johansson. Purification of Cofactor-Dependent Enzymes by Affinity Chromatography 90

Ingrid Rolle, Heinz-Erich Hobucher, Helmut Kneifel, Bernd Paschold, Wolfgang Riepe, and Carl Johannes Soeder. Amines in Unicellular Green Algae. 2. Amines in *Scenedesmus acutus* 103

Bernd Lang, Gertraud Burger, Ilias Doxiadis, David Y. Thomas, Wolfhard Bandlow, and Fritz Kaudewitz. A Simple Method for the Large-Scale Preparation of Mitochondria from Microorganisms 110

Frans S. M. van Kleef, Miriam Peeters, and Herman J. Hoenders. Studies on the Isotachophoresis of the Subunits of α-Crystallin Using Polyacrylamide Gels 122

Geoffrey Glazer and Michael L. Steer. Requirements for Activation of Trypsinogen and Chymotrypsinogen in Rabbit Pancreatic Juice 130

J. Melet, G. D. N. E. Vianden, and B. N. Bachra. Simplified Assay for Lysyl Oxidase Activity 141

Gerald A. Rosenthal. Preparation and Colorimetric Analysis of L-Canavanine ... 147

Rolfe E. Scofield, Robert P. Werner, and Finn Wold. N^4-Aminoalkyl-Cytidine Derivatives: Ligands for Ribonuclease Affinity Adsorbents 152

Michael V. Lancaster and Ronald F. Sprouse. Analytical and Preparative Isotachophoresis of Histoplasmin Purified Derivative Components 158

Per Kårsnäs and Paul Roos. Two Methods for Electrophoretic Elution of Proteins from Polyacrylamide Gels 168

Ralph J. Knights, Michael Gross, and J. E. Folk. Identification and Quantitative Analysis of Alkyl Isocyanates as Their Urea Derivatives 176

ANTHONY L. TARENTINO AND FRANK MALEY. A New and Improved Assay for Endo-β-*N*-acetylglucosaminidase 185
J. S. CONDEELIS. A Sodium Dodecyl Sulfate Micro-Gel-Electrophoresis Technique Suitable for Routine Laboratory Analysis 195
IKUO ATSUYA, HIROSHI KAWAGUCHI, AND BERT L. VALLEE. Low-Pressure, Microwave-Induced Plasma Spectrometry Method for the Determination of Subnanogram Quantities of Mercury. Application to Mercury-Carboxypeptidase Analysis 208
B. E. CHIDAKEL, N. Y. NGUYEN, AND A. CHRAMBACH. A Device for the Automated Measurement of pH Gradients in Gel Electrofocusing 216
R. E. SMITH, S. NEBES, AND J. LEIS. Production of Large Amounts of 35S RNA and Complementary DNA from Avian RNA Tumor Viruses 226
R. W. WALKER, W. J. A. VANDENHEUVEL, F. J. WOLF, R. M. NOLL, AND D. E. DUGGAN. A Stable Isotope Gas–Liquid Chromatographic–Mass Spectrometric Assay for Determining Uric Acid Body Pool Size 235
RENNÉ CHEN LU AND MARSHALL ELZINGA. Chromatographic Resolution of the Subunits of Calf Brain Tubulin 243
H. J. VREEMAN, P. J. VAN ROOIJEN, AND S. VISSER. Segmented Flow Analysis as Applied to Kinetic Studies of Peptide Bond Hydrolysis 251
P. WÜRSCH. Immobilization of Human Intestinal Mucosa Enzymes on Sepharose .. 265

SHORT COMMUNICATIONS

CHARLES E. SPIVAK AND DERMOT B. TAYLOR. A Filter Assay For Binding of Labeled Ligands to Membrane-Bound Receptors 274
FRANK SLABY AND MARILYN G. FARQUHAR. Metrizamide Interferes with the Determination of Protein by the Lowry Method 280
L. MUSZBEK, T. SZABÓ, AND L. FÉSÜS. A Highly Sensitive Method for the Measurement of ATPase Activity 286
ARLEN ROSENBERG AND FRED W. TEARE. A Novel Rapid Thin-Layer Chromatographic Monitoring System for the Radioiodination of Protein and Polypeptides 289
MICHAEL LANDON. A Method for the Direct Detection of Aromatic Amino Acid Decarboxylase in Electrophoretic Media 293
A. M. JEFFREY AND P. P. FU. Isotopic Separations of Tritium-Substituted Compounds from Protium Analogues by High-Pressure Liquid Chromatography 298
RICHARD HOUGHTEN AND ANDREAS CHRAMBACH. Preparative Isotachophoresis on Polyacrylamide Gels: Resolution as a Function of Time and Wattage ... 303
A. ZITNAK, D. C. HILL, AND J. C. ALEXANDER. Determination of Linamarin in Biological Tissues 310
HOWARD KUTCHAI AND LISA MANN GEDDIS. Determination of Protein in Red Cell Membrane Preparations by *o*-Phthalaldehyde Fluorescence 315
ERRATUM 320

NUMBER 2, FEBRUARY 1977

TEZRO ASAO. Quantitative Analysis of Proteins by the Use of SDS–Polyacrylamide-Gel Electrophoresis 321
M. YANEVA, J. MLADENOVA, AND G. DESSEV. Electrophoresis of Denatured DNA in Gels Containing Formaldehyde 332

DANIEL H. ZIMMERMAN AND MILTON KERN. A Simple Procedure for Labeling the Lipid A Moiety of Lipopolysaccharide with ^{125}I 340
DANIEL C. LUK AND MICHAEL D. BICK. Determination of 5′-Bromodeoxyuridine in DNA by Buoyant Density 346
SHREE MULAY, FIROUZ KHAMSI, AND SAMUEL SOLOMON. Quantification of Dipalmitoyl Lecithin in Lung Wash and Extracts 350
PHILIP REYES. The Rapid Separation of Orotate, Orotidylate, and Uridylate by Thin-Layer Chromatography. Utility in the Assay of Orotate Phosphoribosyltransferase and Orotidylate Decarboxylase 362
AHARON RAZIN AND JOHN SEDAT. Analysis of 5-Methylcytosine in DNA. II. Gas Chromatography 370
S. M. MAHABOOB BASHA AND R. MICHAEL ROBERTS. A Simple Colorimetric Method for the Determination of Tryptophan 378
EDWARD W. KHANDJIAN. *In Situ* Studies of Subcellular Particles Immobilized in Sucrose–Acrylamide Density Gradients 387
DAVID E. ROLL AND H. EDWARD CONRAD. Quantitative Radiochromatographic Analysis of the Major Groups of Carbohydrates in Cultured Animal Cells 397
J. M. BACKER AND I. A. SLEPNJOVA. Continuous Electron Spin Resonance Detection of Biochemical Reactions of Nucleoside Triphosphates 413
P. E. BURDETT AND P. H. WHITEHEAD. The Separation of the Phenotypes of Phosphoglucomutase, Erythrocyte Acid Phosphatase, and Some Haemoglobin Variants by Isoelectric Focusing 419
YUKITAKA MIYACHI, AKIRA MIZUCHI, AND KANJI SATO. Preparation of Iodinated Cyclic GMP Derivatives by a Lactoperoxidase Method 429
SYBIL GOLDEN, P. A. WALS, AND JOSEPH KATZ. An Improved Procedure for the Assay of Glycogen Synthase and Phosphorylase in Rat Liver Homogenates 436
JOSEPH X. KHYM, JOHN W. BYNUM, AND ELLIOT VOLKIN. The Co-Use of Retention Time and Bandwidth Measurements in Evaluations of Nucleotide Pools by Ion-Exchange Chromatography 446
UWE KARSTEN AND ALBERT WOLLENBERGER. Improvements in the Ethidium Bromide Method for Direct Fluorometric Estimation of DNA and RNA in Cell and Tissue Homogenates 464
TOSHIO KINOSHITA, FUMIO IINUMA, KAZUYO ATSUMI, AND AKIO TSUJI. A Fluorometric Assay of Proteins on Kieselguhr Plates Using Sodium Hypochlorite and Thiamine 471
HILARY J. JEFFREY AND A. B. ROY. A Spectrophotometric Determination of Arylsulphatase Activity 478
HERMANN ESTERBAUER, ELISABETH SCHWARZL, AND MARIANNE HAYN. A Rapid Assay for Catechol Oxidase and Laccase Using 2-Nitro-5-Thiobenzoic Acid ... 486
YASUO TOHIRA, KIYOSHIGE OCHI, IASO MATSUNAGA, MASAFUMI FUKUSHIMA, SHIGERU TAKANASHI, KAZUHITO HATA, CHIKARA KANEKO, AND TATSUO SUDA. Synthesis of 1α-[2-^{3}H]Hydroxyvitamin D_3 495
MARCO BAGGIOLINI, URSULA BRETZ, MAX SCHNEIDER, AND ERWIN TELLENBACH. Isopycnic Centrifugation under Low Hydrostatic Pressure. A Novel Connecting Unit for Manual Operation of Beaufay's Rotor 503
P. VAN EIKEREN AND H. MCLAUGHLIN. Analysis of the Lysozyme-Catalyzed Hydrolysis and Transglycosylation of *N*-Acetyl-D-glycosamine Oligomers by High-Pressure Liquid Chromatography 513
TH. VAN DER HOEVEN. A Sensitive, Fluorometric Method for the Assay of Microsomal Hydroxylase: *N*-Demethylation of *p*-Chloro-*N*-Methylaniline 523
SHORT COMMUNICATIONS
ALAN D. B. MALCOLM. The Measurement of Enzyme–Ligand Dissociation Constants by Relaxation Kinetics 529

Alan D. B. Malcolm. A Simple Fluorimetric Assay for Guanosine Nucleotides 532
Rex Ellis, Eugene R. Morris, and Constance Philpot. Quantitative Determination of Phytate in the Presence of High Inorganic Phosphate 536
J. Vera, A. Licata, and F. C. Bartter. A Convenient, Inexpensive Organ Culture Device 540
Masashi Higuchi and Fumio Yoshida. Lowry Determination of Protein in the Presence of Sulfhydryl Compounds or Other Reducing Agents 542
Robert F. Derr, Rodney Olsen, and Leslie Zieve. Separation of ^{32}P-Labeled Inorganic Phosphate from Rat Liver Homogenates 548
D. L. Livesey. On the Colorimetric Method of Assaying Carbonic Anhydrase (EC 4.2.1.1) 552
George W. Rushizky and Jan H. Mozejko. Optimization of Conditions for Cleavage of tRNA at the Anticodon Loop by S_1 Nuclease 562
Kavi Ratanabanangkoon, Robert Blaiklock, and Lowell E. Hokin. An Improved Synthesis of *N*-[2,3-^{3}H](*n*-propyl)hydroxylamine, a Potentially Useful Reagent for the Characterization of Acyl Derivatives 567
Carl L. Zimmerman, Ettore Appella, and John J. Pisano. Rapid Analysis of Amino Acid Phenylthiohydantoins by High-Performance Liquid Chromatography 569
K. Zwierz, J. Bialobrzeska, and S. Kreczko. Determination of *N*-Acetylhexosamines in the Presence of −SH Compounds 574
Moises Grinstein. Simplified Method for the Determination of Porphyrins in Body Fluids 577
Addendum 581
Erratum 582
Author Index for Volume 77 583
The Subject Index for Volume 77 will appear in the December 1977 issue as part of a cumulative index for the year 1977.

NEW

Pharmacia Peristaltic Pump P-3

A compact pump electronically controlled for constant liquid flows in chromatography and gradient formation



You can

- obtain three different flow rates at the same time through the three individually tensioned pumping channels
- change tubes in seconds with the snap-in cassette
- forget about pulsation thanks to the large driven rollers
- rely on a constant motor speed, electronically compensated for load and temperature
- use any flow rate between 0.6 and 400 ml/h per channel with the same gear box
- reverse the flow instantly
- push for maximum flow and clear pump lines rapidly

For free descriptive literature, write or call:

Pharmacia Fine Chemicals Inc.
800 Centennial Avenue
Piscataway, New Jersey 08854
Phone (201) 469-1222

Pharmacia
Fine Chemicals

ISCO's absorbance monitor expands your research

and shrinks your budget.

FOR LIQUID CHROMATOGRAPHY. The Model UA-5 has the high sensitivity, stability, and response speed necessary for high performance LC, along with the wide absorbance ranges and coldroom reliability important for conventional chromatography. It operates at 13 wavelengths (2 at a time), has a built in 10cm recorder, automatic scale expansion, and the exclusive ISCO Peak Separator which deposits different peaks into different test tubes of an ISCO fraction collector.

FOR ELECTROPHORESIS. An inexpensive gel scanning accessory quantitatively scans stained gels at visible wavelengths or unstained gels at UV wavelengths. The UA-5 will also scan ISCO isoelectric focusing columns repeatedly during migration to give you precise information about the separation as it develops.



FOR DENSITY GRADIENT SCANNING. With an accessory gradient fractionator; the UA-5 produces a continuous absorbance profile of the centrifuged gradient as it is fractionated into test tubes. Operation is entirely automatic, and there is no detectable loss of zone resolution.

The Model UA-5 is only one item in the broad spectrum of ISCO biochemical research instruments. Send now for your copy of the current ISCO catalog describing them all.

ISCO

BOX 5347 LINCOLN, NEBRASKA 68505
PHONE (402) 464-0231 TELEX 48-6453

This is a new P.A.G.E.



harmacia Gel Electrophoresis System

for polyacrylamide gradient electrophoresis and other P.A.G.E. techniques

mplete system
pabilities for the new pore gradient electrophoresis que, two dimensional studies, gel rod electro- sis.

crylamide gradient gels PAA 4/30
nient ready-to-use gradient gel slabs give extreme tion over the whole range 50,000–2 million MW. miting migration concentrates the zones after sepa- by molecular size.

ectrophoresis apparatus GE-4
slabs, 12 samples on each, or 16 gel rod capacity. t moulded construction with built-in cooling system. nge of accessories for all applications.

Electrophoresis power supply EPS 500/400
Compact, all solid state. 0–400 mA constant current, 0–500 V constant voltage with automatic cross-over. Maximum effect 60 W. Full personnel and instrument protection.

Gel destainer GD-4
Electrophoretic or diffusion destaining of slabs or rods in a single operation. Twin cells. Active dye removal and solvent circulation. Results can be inspected at any time.

Destainer power supply DPS
Compact, reliable, all solid state. Push-button selected constant voltages 12, 24, or 36 V. Timer controls electrophoretic destaining up to 90 minutes.

ut more about the Pharmacia Gel Electrophoresis System from your usual supplier of Sephadex® and Sepharose®.

cia Fine Chemicals
of Pharmacia, Inc.
vay, New Jersey 08854
201) 469-1222

Pharmacia Fine Chemicals

The complete aqueous cocktail

For liquid scintillation counting



PCS™ — Phase Combining System for Liquid Scintillation Counting of Radioactive Samples.

The most versatile and effective cocktail for aqueous and organic solutions.

For complete information, call or write:

Amersham/Searle

AMERSHAM | SEARLE CORPORATION

2636 S. Clearbrook Drive/Arlington Heights, Illinois 60005
Telephone: Toll free 800-323-9750—Telex: 28-2452
In Illinois, Alaska, Puerto Rico, & Hawaii: 312-593-6300

400 Iroquois Shore Road/Oakville, Ontario
Telephone: 416-844-8122—Telex: 069-82216

A/S/1002

IMMOBILIZED ENZYMES FOR INDUSTRIAL REACTORS

Edited by **RALPH A. MESSING**
Corning Glass Works
Corning, New York

1975, 244 pp., $13.50/£6.50

Here is a comprehensive guide to the industrial applications of immobilized enzymes. It describes how to deal with the numerous problems generally encountered in initial research, development and final engineering programs for these applications. In so doing, it covers in detail the immobilized enzyme systems, including the carriers, the immobilization techniques, cofactor requirements, the reactors and carrier regeneration.

Throughout, the book teaches logical procedures for dealing judiciously with specific practical problems. For those new to the field, the book includes a review of enzyme chemistry and a chapter on the chemistry of glass: although glass may not be the preferred material for all applications, it does provide a model system that can serve as a standard for evaluating other materials.

This practical book should be of interest to chemical engineers, biochemists, food technologists, applied microbiologists, pharmaceutical chemists, agricultural engineers, biochemists and chemists.

AP 7230

N.B.: Postage plus 50c handling charge on all orders not accompanied by payment.

Prices subject to change without notice.



Academic Press, Inc.
A Subsidiary of Harcourt Brace Jovanovich, Publishers
111 FIFTH AVENUE, NEW YORK, N.Y. 10003
24/28 OVAL ROAD, LONDON NW1

ANNOUNCING

for February, 1977

a major new biochemistry textbook

BIOCHEMISTRY

Chemical Reactions of Living Cells

by

David E. Metzler

Iowa State University

For complimentary copies, write to the Textbook Department. Please indicate course, enrollment, and present textbook.

ACADEMIC PRESS

A Subsidiary of Harcourt Brace Jovanovich, Publishers

111 FIFTH AVENUE, NEW YORK, N.Y. 10003

24-28 OVAL ROAD, LONDON NW1 7DX